## -- Mobil

MOBIL OIL CORPORATION MATERIAL SA MOBIL DELVAC 1220

\*\*\*\*\*\*\* II. TYPICAL CHEMICAL AND PHYSICAL PROPERTIES \*\*\*\*\*\*\*\*

APPEARANCE: ASTM 4.5 LIQUID DDOR: MILD PH: NA VISCOSITY AT 100 F, SUS: 284.0 AT 40 C, CS: 61.0 VISCOSITY AT 210 F, SUS: 54.0 AT 100 C, CS: 8.5 FLASH POINT F(C): >415(213) (ASTM 0-92) MELTING POINT F(C): NA POUR POINT F(C): -15(-26) BOILING POINT F(C): > 600(316) RELATIVE DENSITY, 15/4 C: 0.889 SOLUBILITY IN WATER: NEGLIGIBLE VAPOR PRESSURE-MM HG 20C: < .1

NA=NOT APPLICABLE NE=NOT ESTABLISHED D=DECOMPOSES FOR FURTHER INFORMATION, CONTACT YOUR LOCAL MARKETING OFFICE.

ZARDOUS INGREDIENTS:

OTHER INGREDIENTS:
REFINED MINERAL OILS >90
ADDITIVES AND/OR OTHER INGREDS. <10

KEY TO SOURCES: A=ACGIH-TLV, A\*=SUGGESTED-TLV, M=MOBIL, O=OSHA NOTE: LIMITS SHOWN FOR GUIDANCE ONLY. FOLLOW APPLICABLE REGULATIONS.

EFFECTS OF OVEREXPOSURE: SLIGHT EYE IRRITATION. SLIGHT SKIN IRRITATION.

\*\*\*\*\*\*\*\* V. EMERGENCY AND FIRST AID PROCEDURES \*\*\*\*\*\*\*\*\*

EYE CONTACT: FLUSH WITH WATER.

SKIN CONTACT: WASH CONTACT AREAS WITH SOAP AND WATER.

INHALATION: NOT EXPECTED TO BE A PROBLEM.

INGESTION: NOT EXPECTED TO BE A PROBLEM. HOWEVER, IF GREATER THAN 1/2 LITER(PINT) INGESTED, IMMEDIATELY GIVE 1 TO 2 GLASSES OF WATER AND CALL A PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL CENTER FOR ASSISTANCE. DO NOT INDUCE VOMITING OR GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Mobil MOBIL DELVAC 1220 440669 PAGE 2 OF 3 \*\*\*\*\*\*\* \*\*\* VI. FIRE AND EXPLOSION HAZARD DATA \*\*\*\*\*\*\*\*\*\*\* FLASH POINT F(C): > 415(213) (ASTM D-92) "LAMMABLE LIMITS. LEL: - 6 UEL: 7.0 TINGUISHING MEDIA: CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG. \_/ECIAL FIRE FIGHTING PROCEDURES: FIREFIGHTERS MUST USE SELF-CONTAINED BREATHING APPARATUS. UNUSUAL FIRE AND EXPLOSION HAZARDS: NONE \* VII. REACTIVITY DATA \*\*\*\*\*\*\*\*\*\*\*\*\*\* STABILITY (THERMAL, LIGHT, ETC.): STABLE CONDITIONS TO AVOID: EXTREME HEAT INCOMPATIBILITY (MATERIALS TO AVOID): STRONG OXIDIZERS HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE. HAZARDOUS POLYMERIZATION: WILL NOT OCCUR \*\*\*\*\*\*\*\* PROCEDURE \*\*\*\*\*\*\*\*\* REPORT SPILLS AS REQUIRED TO APPROPRIATE ENVIRONMENTAL IMPACT: AUTHORITIES. U. COAST GUARD REGULATIONS REQUIRE IMMEDIATE S-REPORTING OF SPILLS THAT COULD REACH ANY WATERWAY INCLUDING INTERMITTENT DRY CREEKS. REPORT SPILL TO COAST GUARD TOLL FREE NUMBER 800-424-8802. PROCEDURES IF MATERIAL IS RELEASED OR SPILLED: ADSORB ON FIRE RETARDANT TREATED SANDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL. DISSOLVE WASTE IN A SOLVENT AND DISPOSE BY SUPERVISED WASTE MANAGEMENT: INCINERATION IN COMPLIANCE WITH APPLICABLE LAWS AND REGULATIONS. .\*\*\*\*\*\*\*\* IX. SPECIAL PROTECTION INFORMATION \*\*\*\*\*\*\*\*\*\* EYE PROTECTION: NORMAL INDUSTRIAL EYE PROTECTION PRACTICES SHOULD BE EMPLOYED. SKIN PROTECTION: NO SPECIAL EQUIPMENT REQUIRED. HOWEVER, GOOD PERSONAL HYGIENE PRACTICES SHOULD ALWAYS BE FOLLOWED. RESPIRATORY PROTECTION: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION. NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND WITH ADEQUATE VENTILATION.

ORAL TOXICITY (RATS): SLIGHTLY TOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

DERMAL TOXICITY (RABBITS): SLIGHTLY TOXIC(ESTIMATED) --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

INHALATION TOXICITY (RATS): NOT APPLICABLE ---HARMFUL CONCENTRATIONS OF MISTS AND/OR VAPORS ARE UNLIKELY TO BE ENCOUNTERED THROUGH ANY CUSTOMARY OR REASONABLY FORESEEABLE HANDLING, USE, OR MISUSE OF THIS PRODUCT.

EYE IRRITATION (RABBITS): MAY CAUSE SLIGHT IRRITATION. --- BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

IN IRRITATION (RABBITS): MAY CAUSE SLIGHT IRRITATION ON PROLONGED OR REPEATED CONTACT. ---BASED ON TESTING OF SIMILAR PRODUCTS AND/OR THE COMPONENTS.

CHEMICAL NAME

CAS NUMBER LIST CITATIONS
\*\*\* NO INGREDIENT CITATIONS \*\*\*

## --- KEY TO LIST CITATIONS ---

1 = OSHA, 2 = ACGIH, 3 = IARC, 4 = NTP, 5 = NCI, 6 = EPA CARC, 7 = NFPA 49, 8 = NFPA 325M, 9 = DOT HMT, 10 = CA RTK, 11 = IL RTK, 12 = MA RTK, 13 = MN RTK, 14 = NJ RTK, 15 = NJ SHH, 16 = FL RTK, 17 = PA RTK.

INFORMATION GIVEN HEREIN IS OFFERED IN GOOD FAITH AS ACCURATE, BUT WITHOUT GUARANTEE. CONDITIONS OF USE AND SUITABILITY OF THE PRODUCT FOR PARTICULAR USES ARE BEYOND OUR CONTROL; ALL RISKS OF USE OF THE PRODUCT ARE THEREFORE ASSUMED BY THE USER AND WE EXPRESSLY DISCLAIM ALL MARBANILES DE EYERY KIND AND NATURE, INCLUDING WARRANILES DE MERCHANIABILITY AND FITNESS FOR A PARTICULAR PURPOSE IN RESPECT TO THE USE OR SUITABILITY OF THE PRODUCT. NOTHING IS INTENDED AS A RECOMMENDATION FOR USES WHICH INFRINGE VALID PATENTS OR AS EXTENDING ICENSE UNDER VALID PATENTS. APPROPRIATE WARNINGS AND SAFE HANDLING POCEDURES SHOULD BE PROVIDED TO HANDLERS AND USERS.